



traditional window fittings limited

MADE IN THE UK

**PLEASE LEAVE
WITH THE
HOME OWNER**

**PRODUCT CARE
INFORMATION**

TIPS ON THE UPKEEP OF OUR IRONMONGERY

We highly recommend that your window and door fittings are oiled at least every month.

Iron in any form, whether cast or Malleable, is susceptible to rusting.

During our finishing process we endeavour to cover all areas of the Antique Ironmongery, first dipping it into a liquid paint which is then stove dried.

This is then followed by the Black Powder Coating process, which is also cured by stoving.

Obviously when two areas come into contact with each other an abrasive action is enacted, and sooner or later the painting processes are lost by this rubbing action.

This is unavoidable during the operational activity of the article, so to prolong the good looks and keep the rusting process at bay we advise that the article is periodically wiped over with a lightly oiled cloth. To

remove harmful deposits that will cause corrosion (This is more critical if you live near to a coastline as the salt in the sea air has a very corrosive effect on iron).

Where obvious abrasive areas of moving parts are visible, an occasional light oiling is recommended.

We strongly advise that these precautions are taken.

By adopting these simple precautions you will prolong the life of the products and enhance the beauty of your home.



This is a genuine Traditional Window Fittings product, made in England to the same methods of the past 150 years. Unless this leaflet showing our Trademark accompanies the packaging, its authenticity cannot be guaranteed. Please beware of imitations.



Our products are made in the UK
using the same methods of the
past 150 years.

www.traditionalwindowfittings.co.uk

Unauthorised reproduction of this leaflet will be deemed a breach of copyright.
Traditional Window Fittings Limited.